



PYRAMEX

Perform At Your Peak™



2017 CATALOGUE

Everyone has a job to do.

The construction worker standing five floors high on scaffolding while the sun beats down on their neck. The manufacturer counting down the last minutes of a 12-hour workday. The oil rig worker starting their first day of a three-week shift.

Our accessible and swift customer service represents an understanding that we only grow when you can accomplish your work. Through consistent communication with our distributors, we're taking your needs and developing them into a personalized product line that allows you to perform at your peak.



PYRAMEX

Perform At Your Peak™

Why Pyramex?

A global market leader in innovation. With distribution in over 60 countries, Pyramex has become one of the world's leading providers of safety products by delivering innovative and stylish product lines, exceptional attention to customer service, and a mindset that we succeed when you succeed. Before a single Pyramex product leaves our plant, we listen to the needs and observations of our distributors and end users, invest countless hours in research, design, and testing, and work to make sure our products meet the highest industry safety standards. When you place a Pyramex product on your shelves, you can do so with confidence, knowing we stand behind everything we produce.

A mindset toward others. As a business owner, nothing is more important to you than the satisfaction and peace of mind of the people you serve – your customers. For more than 25 years, we have cultivated our environment with you and your business in mind. We have become an industry leader by doing things the right way, whether it's taking extra measures to manufacture an exceptional product or double-checking a rush order to a client on the other side of the world. If it's important to your business, it's important to ours.

A passion for excellence. We continually seek better methods of delivering product and service. We believe that every time we touch a customer's life, we should provide added value for that customer. Pursuing excellence means we must know our customers, understand their needs and expectations, regularly listen to them, and adjust our processes and procedures to more effectively serve them.

Serving others. We value what our customers can teach us. Once you become a Pyramex distributor, our customer service specialists work closely with you to understand your business goals and look for ways we can help you achieve them. Service to our customers comes first.

- No automated answering service – we answer your call directly, so that we can act immediately. Each customer has an assigned in-house rep to serve your business.
- Most orders ship the same day.
- Private labeling programs are available.
- We actively pursue opportunities to bring new business to you.

Superior products. Pyramex's products have long been recognized as a market leader when it comes to protection, style, comfort and innovation. Before we introduce a new product, we listen to our distributors and their customers.

- **Safety.** All of our products meet or exceed the highest industry safety standards and are independently tested.
- **Style.** The more stylish a personal protective product looks, the more likely it will be worn.
- **Comfort.** We design products that are maximized in comfort so that the user can wear it all day long.
- **Innovation.** We continually offer products that are unique to the marketplace to insure our customers have a competitive advantage and maintain healthy profit margins. Try on a Pyramex product and you will see and feel the difference.



TABLE OF CONTENTS

EYEWEAR	6	Ionix®	27	V2G®	15	HEARING	50
Alair®	31	Isotope™	11	V2G Rx	15	COOLING	54
Capstone®	35	Itek®	22	V2G-Plus®	34		
Cortez®	27	Mayan®	30	V2G-Plus Rx	34		
Defiant®	32	Mini Ztek	23	V3G®	14		
Drop Zone®	44	Montego®	30	V3G Rx	14		
Emerge®	33	Neshoba™	19	Venture II®	18		
Ever-Lite®	19	Onix®	25	Venture II Readers	33		
Exeter®	21	Onix Plus	25	Venture 3®	18		
Flex-Zone™	17	OTS®	24	XSG®	13		
Furix®	26	OTS XL	24	XSG Kit	13		
Goggles	39	PMXCITE®	31	Zone II®	29		
Goliath®	17	PMXSLIM®	28	Ztek®	23		
Highlander™	11	Proximity®	12	Ztek Readers	33		
Highlander Plus	11	Readers	33				
I-Force®	10	Rendezvous®	20	Accessories	46		
I-Force Slim	10	Solo®	32	Displays	49		
Integra®	28	TruLock®	16	Dual Pane	40		
Intrepid II®	21	TruLock Multi-Colours	16	Welding	42		
Intruder®	22	V2-Metal®	29				

HOW TO ORDER

Pyramex products are available for sale through authorized distributors. Please contact us for a distributor near you.

Phone: +44 (0) 1635 254220 | E-mail: info@pyramexeurope.com

Introducing **H2MAX** ANTI-FOG COATING

Pyramex Safety Products is proud to introduce the H2MAX anti-fog coating, available in select safety eyewear.

The innovative technology behind the H2MAX creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleaning without losing adhesion.

Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humidity conditions, but it also adds a layer to the lens that is abrasion and chemical resistant.

The H2MAX anti-fog coating is made from non-hazardous environmental components and resists scratching from steel wool up to 100g weight.

H2MAX anti-fog coating passes EN standards for K and N, ANSI Z87.1 standards, and Canadian certification CAN/CSA Z94.3.



vimeo.com/pyramex/h2max

H2MAX anti-fog coating is available on select Pyramex Safety eyewear products.



Proximity®

Page 12



Isotope™

Page 11



Ever-Lite®

Page 19



Eyewear features

Pyramex has an extensive line of eyewear for a variety of applications. Use the icons below to quickly find some of the most requested features for safety eyewear.



ADJUSTABLE
NOSEPIECE



ADJUSTABLE
TEMPLES



CO-INJECTED
TEMPLES



DIELECTRIC



DUAL PANE
LENS



FOAM
PADDING



INCLUDES
STRAP



LOCKING
TEMPLE



MULTI
LENSES



RATCHETING
TEMPLES



RUBBER
NOSEPIECE



RUBBER
TIPS



VENTED
FRAME



VENTED
LENS



POLARIZED
OPTION

Eyewear certifications

All Pyramex eyewear products have been independently tested for various standards and certifications.

Use the quick key (**ANSI** **CE** **CSA** **AS** **BALLISTIC**) on the following pages to reference product models that meet these standards and certifications.

Use the dots (•••••) next to each part number to reference which options meet the standards and certifications.

ANSI

- ANSI Z87.1+ High Impact

CE

- CE EN166

CSA

- Cert. Mod. - CAN/CSA Z94.3 -07 and -15

AS

- AS/NZS 1337

BALLISTIC

- MIL-PRF-32432 High Velocity Impact Standards



Lens Treatment Technology

H2MAX Anti-fog Coating:

The innovative technology behind the H2MAX creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleaning without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humidity conditions, but it also adds a layer to the lens that is abrasion and chemical resistant. The H2MAX anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g weight. H2MAX passes EN standards for K and N, ANSI Z87.1 standards, and Canadian certification CAN/CSA Z94.3.

H2X Anti-fog Coating:

H2X provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, H2X will continue to be effective because, the coating is bonded to the lenses. The H2X anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance.

Polycarbonate Lenses

All Pyramex safety eyewear utilize polycarbonate lenses. Polycarbonate lenses are up to 10 times more impact-resistant than plastic or glass lenses and provide 99.9% protection from the sun's harmful UV rays. They are lightweight and include a scratch-resistant coating to prevent surface scratches.



Lens Colour Technology

Lens Colour	Visible Light Transmitted 380 - 780nm	UVA, UVB Blocked 200 - 380nm	Blue Light Blocked 400 - 700nm	IR Blocked 780 - 2000nm
 1.4 IR Filter commonly used for peripheral personnel who are not exposed to direct IR radiation	58%	100%	85%	83%
 3.0 IR Filter commonly used around welding sites or for light brazing or cutting	12%	100%	97%	95%
 5.0 IR Filter commonly used around welding sites or for medium to heavy cutting and medium to heavy gas welding	2%	100%	99%	99%
 Amber commonly used in indoor, low light applications enhances contrast	89%	99.9%	75%	18%
 Blue Mirror commonly used in outdoor applications grey polycarbonate lens with blue mirror coating reduces glare	23%	99.9%	77%	48%
 Clear general purposes for indoor applications that require impact protection	92%	99.9%	9%	18%
 Coffee commonly used in outdoor applications best for enhancing depth perception	15%	99.9%	96%	35%
 Forest Grey commonly used in outdoor applications provides the least amount of colour distortion	10%	100%	94%	65%
 Grey commonly used in outdoor applications offers protection from excessive glare	23%	99.9%	74%	48%
 Polarized Grey commonly used in outdoor applications contains a special filter that blocks intense reflected light, reducing glare and eye fatigue	11%	100%	90%	18%
 Ice Blue Mirror commonly used in outdoor applications grey polycarbonate lens with a double layer of silver and blue mirror coatings reduces glare	13%	99.9%	95%	51%
 Ice Orange Mirror commonly used in outdoor applications grey polycarbonate lens with a double layer of silver and orange mirror coatings reduces glare	10%	99.9%	90%	35%
 I/O Mirror commonly used where it is required to move between indoor applications to outdoor applications clear polycarbonate lens with light gold mirror coating reduces glare	50%	100%	65%	39%
 Infinity Blue commonly used in indoor applications where there is an excessive amount of yellow or sodium vapor light offers a high level of contrast	71%	99.9%	17%	18%
 Multi-Colour Mirror commonly used in outdoor applications grey polycarbonate lens with layers of silver and red, blue and green mirror coatings	23%	99.9%	84%	40%
 Orange offers high contrast and low light image resolution	61%	99.9%	86%	18%
 Pink commonly used in low light and flat light conditions enhances definition and contrast	82%	99.9%	19%	20%
 Sandstone Bronze commonly used in outdoor applications enhances contrast	23%	100%	87%	55%
 Silver Mirror commonly used in outdoor applications grey polycarbonate lens with silver mirror coatings reduces glare	23%	99.9%	85%	59%
 Sky Red Mirror commonly used in outdoor applications grey polycarbonate lens with a double layer of silver and red mirror coatings reduces glare	14%	99.9%	91%	64%
 Smoke Vermilion commonly used for shooting sporting clays has a muting effect on green to bluish backgrounds enhances contrast while reducing all colour equally for optimum colour recognition	23%	100%	86%	48%
 Sun Block Bronze commonly used in outdoor applications blocks the blue light of the spectrum offers brighter view on cloudy, hazy or foggy days	17%	100%	96%	50%

I-Force® and I-Force Slim

ANSI CE CSA AS BALLISTIC



DUAL PANE LENS



FOAM PADDING



INCLUDES STRAP



VENTED FRAME

Dual pane lens consists of polycarbonate lens on the outer side with acetate anti-fog lens on inner side

Quick release interchangeable temples and strap

Vented foam carriage

Passes MIL-PRF 32432 High Velocity Impact Standards



I-Force

Part No.	Black Frame
ESB7010SDT ●●●●●	AF Clear Dual Pane H2X
ESB7020SDT ●●●●●	AF Grey Dual Pane H2X
ESB7030SDT ●●●●●	AF Amber Dual Pane H2X
ESB7080SDT ●●●●●	AF I/O Mirror Dual Pane

I-Force Slim

Part No.	Black Frame
ESB7010SDNT ●●●●●	AF Clear Dual Pane H2X
ESB7020SDNT ●●●●●	AF Grey Dual Pane H2X
ESB7030SDNT ●●●●●	AF Amber Dual Pane H2X

Watch the video

vimeo.com/pyramex/i-force



Download a FREE QR Reader to your smartphone through your phone's app store

Scan the code

I-Force Slim is about 6% smaller than the I-Force.



148 mm



157 mm

ANSI Z87.1 CE EN166 CSA Z94.3 AS NSZ1337 BALLISTIC

All safety eyewear meets European [EN166] (●) and ANSI Z87.1+ (●) standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] (●), Australian [AS/NZS 1337] (●) or Ballistic [MIL-PRF-32432] (●) standards. For specific lens options visit our website or contact your sales representative.



Perform At Your Peak™ **PYRAMEX**

Isotope™ ANSI CE CSA



DIELECTRIC



RUBBER
NOSEPIECE



INCLUDES
STRAP



ADJUSTABLE
TEMPLES

Dielectric

Interchangeable temples and
neoprene strap

Temples adjust to three different lengths

Dual frame design features a TPE gasket

When worn with neoprene strap passes
EN168 3 & 4, liquid droplets and large dust

Part No.	Black Frame
EGB9410STM ●●●	AF Clear H2MAX
EGB9420STM ●●●	AF Grey H2MAX
EGB9430STM ●●●	AF Amber H2MAX
EGB9480ST ●●●	AF I/O Mirror



Watch the video

vimeo.com/pyramex/isotope



Download a FREE
QR Reader to your
smartphone through your
phone's app store
Scan the code

H2MAX



ANTI-FOG

vimeo.com/pyramex/h2max

Highlander™ ANSI CE



FOAM
PADDING



INCLUDES
STRAP

Soft foam carriage

Durable frame with detachable strap

Part No.	Black Frame
ESBB5010DT ●●	AF Clear H2X
ESBB5020DT ●●	AF Grey H2X
ESBB5055DT ●●	AF Sky Red Mirror
ESBB5070DT ●●	AF Silver Mirror



Highlander Plus™ ANSI CE CSA BALLISTIC



FOAM
PADDING



INCLUDES
STRAP



VENTED
FRAME

Indirect vented foam carriage

Detachable strap

Passes MIL-PRF 32432 High Velocity Impact Standards

Part No.	Black Frame
ESBG5080DT ●●●●	AF I/O Mirror





Proximity® ANSI CE CSA



FOAM
PADDING



CO-INJECTED
TEMPLES

Flame resistant foam padding

Lightweight spectacle – 26.3gm

Slim co-injected temples



vimeo.com/pyramex/h2max

Part No.	Black Frame
ESB9310ST ●●●	AF Clear H2X
ESB9310STM ●●●	AF Clear H2MAX
ESB9320ST ●●	AF Grey H2X
ESB9320STM ●●	AF Grey H2MAX
ESB9330ST ●●●	AF Amber H2X
ESB9380ST ●●●	AF I/O Mirror



ANSI Z87.1 CE EN166 CSA Z94.3 BALLISTIC

All safety eyewear meets European [EN166] [●] and ANSI Z87.1+ [●] standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] [●] or Australian [AS/NZS 1337] [●] standards. For specific lens options visit our website or contact your sales representative.



Perform At Your Peak™ PYRAMEX



XSG® ANSI CE CSA



FOAM
PADDING



INCLUDES
STRAP

Flame resistant foam padding

Strap has quick fit retainer

Interchangeable temples and strap included

Part No.	Black Frame
EGB4010ST ●●●	AF Clear H2X
EGB4020ST ●●●	AF Grey H2X
EGB4080ST ●●●	AF I/O Mirror



XSG Kit ANSI CE BALLISTIC



FOAM
PADDING



INCLUDES
STRAP



MULTI
LENSES

Interchangeable lenses, temples, and strap

Black ballistic nylon case for storage

Passes MIL-PRF 32432 High Velocity
Impact Standards

Part No.	Black Frame
EGB4010KIT ●●●	AF Clear H2X
	AF Grey H2X
	AF Amber H2X



V3G® ANSI CE CSA AS BALLISTIC


FOAM PADDING



INCLUDES STRAP



RATCHETING TEMPLES



VENTED FRAME



VENTED LENS

Vented lens and frame

Interchangeable temples and headband included

Headband and temples feature ratchet adjustment with quick fit retainer

Flame resistant foam padding

Passes MIL-PRF 32432 High Velocity Impact Standards

Part No.	Black Frame
EGB8210ST ●●●●●	AF Clear H2X
EGB8220ST ●●●●●	AF Grey H2X
EGB8230ST ●●●●●	AF Amber H2X
EGB8280ST ●●●●●	AF I/O Mirror


V3G Rx ANSI CE AS BALLISTIC


FOAM PADDING



INCLUDES STRAP



RATCHETING TEMPLES



VENTED FRAME

The prescription models of the V3G have a larger lens to accommodate the RX8200 lens insert (sold separately)

Part No.	Black Frame
EGB8210STRX ●●●●●	AF Clear H2X
EGB8220STRX ●●●●●	AF Grey H2X
EGB8280STRX ●●●●●	AF I/O Mirror

V3G Rx Insert

Easily snaps securely into place above nosepiece

Includes micro-fiber storage case

Take insert to local optometrist for Rx lens installation

Part No.
RX8200


ANSI Z87.1 **CE EN166** **CSA Z94.3** **AS NSZ1337** **BALLISTIC**

All safety eyewear meets European [EN166] (●) and ANSI Z87.1+ (●) standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] (●), Australian [AS/NZS 1337] (●) or Ballistic [MIL-PRF-32432] (●) standards. For specific lens options visit our website or contact your sales representative.

V2G® ANSI CE CSA AS BALLISTIC



FOAM
PADDING



INCLUDES
STRAP



RATCHETING
TEMPLES



VENTED
FRAME



VENTED
LENS

Flame resistant foam padding

Vented lens and frame

Interchangeable temples and headband included

Headband and temples feature ratchet adjustment with quick fit retainer

Passes MIL-PRF 32432 High Velocity Impact Standards

Part No.	Black Frame
EGB1810ST ●●●●●	AF Clear H2X
EPYGB1810ST* ●●●●●	AF Clear H2X
EGB1820ST ●●●●●	AF Grey H2X
EGB1830ST ●●●●●	AF Amber H2X
EGB1880ST ●●●●●	AF I/O Mirror

*Pyramex retail packaged product



V2G Rx Insert

Easily snaps securely into place above nosepiece

Includes micro-fiber storage case

Take insert to local optometrist for Rx lens installation



Part No.
RX1800 Clear Blank Lens



TruLock® ANSI CE CSA

LOCKING
TEMPLE

DIELECTRIC



Lightweight spectacle – 21 gm

Patented temple structure locks into place

Dielectric, metal-free structure with
nylon temples

Part No.	Black Temples
ESB9510S ●●●	Clear
ESB9510ST ●●●	AF Clear H2X
ESB9520S ●●●	Grey
ESB9520ST ●●●	AF Grey H2X
ESB9530S ●●●	Amber
ESB9556S ●●●	Multi-Colour Mirror
ESB9580S ●●●	I/O Mirror

Watch the video

vimeo.com/pyramex/trulock


Download a FREE
QR Reader to your
smartphone through your
phone's app store

Scan the code

TruLock Multi-Colours

ANSI CE CSA

LOCKING
TEMPLE

DIELECTRIC

Sold in dozen quantity only

Comes with six assorted temple colours:
red, blue, green, purple, orange and blackMulti-pack includes two of each temple
colour with clear lensesPerfect for schools or work areas where
colour coding is necessaryProvides a fun assortment of colours to
brighten up any work environment

Part No.	Multi-Colour Temples
ES9510SMP ●●●	Clear



ANSI Z87.1

CE EN166

CSA Z94.3

AS NSZ1337

All safety eyewear meets European [EN166] (●) and ANSI Z87.1+ (●) standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] (●) or Australian [AS/NZS 1337] (●) standards. For specific lens options visit our website or contact your sales representative.



Perform At Your Peak™ PYRAMEX

Goliath® ANSI CE CSA AS



CO-INJECTED
TEMPLES



POLARIZED
OPTION

Co-injected, rubber temples

Part No.	Black Frame
ESB5610D ●●●●	Clear
ESB5620D ●●●●	Grey
ESB5620DT ●●●●	AF Grey H2X
ESB5621D ●●●●	Polarized Grey
ESB5665D ●●●●	Ice Blue Mirror
ESB5665DT ●●●●	AF Ice Blue Mirror
Part No.	White Frame
ESW5620D ●●●●	Grey
ESW5620DT ●●●●	AF Grey H2X
ESW5665D ●●●●	Ice Blue Mirror
ESW5665DT ●●●●	AF Ice Blue Mirror



Flex-Zone™ ANSI CE CSA



CO-INJECTED
TEMPLES



ADJUSTABLE
NOSEPIECE



MULTI
LENSES

Durable, flexible nylon frame and straight-back temples with patented structure for lens replacement

Ventilated nosepiece is soft and adjustable

Part No.	Black Frame
ESB9210ST ●●●●	AF Clear H2X
ER9210S ●●●●	Clear Replacement
ESB9220ST ●●●●	AF Grey H2X
ER9220S ●●●●	Grey Replacement
ESB9230S ●●●●	Amber
ESB9280S ●●●●	I/O Mirror
ESB92REPL ●●●●	Clear, PLUS Grey Replacement



Venture II®

ANSI CE CSA BALLISTIC



RUBBER NOSEPIECE



ADJUSTABLE TEMPLES

Temples adjust to four different lengths

Nosepiece secures the glass and prevents slipping

Passes MIL-PRF 32432 High Velocity Impact Standards

Part No.	Black Frame
ESB1810S ●●●●	Clear
ESB1810ST ●●●●	AF Clear H2X
ESB1820S ●●●●	Grey
ESB1820ST ●●●●	AF Grey H2X
ESB1835S ●●●●	Sun Block Bronze
ESB1840S ●●●●	Orange
ESB1850SF ●●●●	5.0 IR Filter
ESB1860S ●●●●	Infinity Blue
ESB1860SF ●●●●	3.0 IR Filter
ESB1870S ●●●●	Silver Mirror
ESB1880S ●●●●	I/O Mirror



Part No.	Metallic Blue Frame
ESMB1810S ●●●●	Clear

Part No.	Maroon Frame
ESMM1810S ●●●●	Clear

Venture 3®

ANSI CE CSA AS BALLISTIC



VENTED FRAME



ADJUSTABLE NOSEPIECE



CO-INJECTED TEMPLES

Soft, adjustable ventilated nosepiece

Ventilated frame

Soft, adjustable co-injected rubber temples

Passes MIL-PRF 32432 High Velocity Impact Standards



Part No.	Black Frame
ESB5710D ●●●●	Clear
EPYSB5710D* ●●●●	Clear
ESB5710DT ●●●●	AF Clear H2X
ESB5720D ●●●●	Grey
ESB5720DT ●●●●	AF Grey H2X
ESB5730D ●●●●	Amber

Part No.	Black Frame
EPYSB5730D* ●●●●	Amber
ESB5760D ●●●●	Infinity Blue
ESB5770D ●●●●	Silver Mirror
ESB5780D ●●●●	I/O Mirror
ESB5780DT ●●●●	AF I/O Mirror

*Pyramex retail packaged product

ANSI Z87.1 CE EN166 CSA Z94.3 AS NSZ1337 BALLISTIC

All safety eyewear meets European [EN166] [●] and ANSI Z87.1+ [●] standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] [●], Australian [AS/NZS 1337] [●] or Ballistic [MIL-PRF-32432] [●] standards. For specific lens options visit our website or contact your sales representative.

Ever-Lite® ANSI CE CSA



Soft nosepiece for snug fit

Semi-frame and slim co-injected temples

Lightweight spectacle – 22 gm



Part No.	Black Frame
ESB8610D ●●●	Clear
ESB8610DT ●●●	AF Clear H2X
ESB8610DTM ●●●	AF Clear H2MAX
ESB8620D ●●●	Grey
ESB8620DT ●●●	AF Grey H2X
ESB8620DTM ●●●	AF Grey H2MAX
ESB8630D ●●●	Amber
ESB8680D ●●●	I/O Mirror
ESB8680DT ●●●	AF I/O Mirror



Neshoba™ ANSI CE

Frameless design with thin flexible temples

Ultra lightweight spectacle – 16 gm

Part No.	Black Temples
ES9710S ●●	Clear
ES9710ST ●●	AF Clear H2X
ES9720S ●●	Grey
ES9720ST ●●	AF Grey H2X
ES9730S ●●	Amber
ES9780S ●●	I/O Mirror
ES9780ST ●●	AF I/O Mirror





Rendezvous® ANSI CE BALLISTIC



ADJUSTABLE NOSEPIECE



ADJUSTABLE TEMPLES



RATCHETING TEMPLES

Adjustable nosepiece

Temples adjust to four different lengths

Align lens angle to proper position for work application with ratcheting lens pitch adjustment

Passes MIL-PRF 32432 High Velocity Impact Standards

Part No.

Black Frame

ESB2810S ●●●	Clear
ESB2810ST ●●●	AF Clear H2X
ESB2815S ●●●	Coffee
ESB2820S ●●●	Grey
ESB2830S ●●●	Amber
ESB2840S ●●●	Orange
ESB2870S ●●●	Silver Mirror
ESB2875S ●●●	Blue Mirror
ESB2880S ●●●	I/O Mirror



ANSI Z87.1

CE EN166

CSA Z94.3

AS NSZ1337

BALLISTIC

All safety eyewear meets European [EN166] [●] and ANSI Z87.1+ [●] standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] [●], Australian [AS/NZS 1337] [●] or Ballistic [MIL-PRF-32432] [●] standards. For specific lens options visit our website or contact your sales representative.



Perform At Your Peak™ PYRAMEX

Exeter® ANSI CE AS



RUBBER NOSEPIECE



CO-INJECTED TEMPLES

Built-in rubber nosepiece

Co-injected, rubber temples

Part No.	Glossy Black Frame	
ESB5110DT ●●	AF	Clear H2X
ESB5120DT ●●●	AF	Grey H2X
ESB5155DT ●●●	AF	Sky Red Mirror
ESB5170DT ●●●	AF	Silver Mirror
ESB5175DT ●●	AF	Blue Mirror
Part No.	Tortoise Shell Frame	
EST5115DT ●●	AF	Coffee H2X



Intrepid II® ANSI CE CSA BALLISTIC



RUBBER NOSEPIECE



RUBBER TIPS

Thin, soft flange of the extra wide nosepiece distributes weight of the glass evenly across the bridge, eliminating pressure on the nose

Flexible rubber temples provide pressure-free fit behind the ear

Ultra-light design ideal for all-day versatility

Passes MIL-PRF 32432 High Velocity Impact Standards

Part No.	Black and Grey Temples	
ESB8810S ●●●●		Clear
EPYSB8810S* ●●●●		Clear
ESB8820S ●●●●		Grey
EPYSB8826S* ●●●●		Forest Grey
EPYSB8827S* ●●●●		Smoke Vermilion
ESB8830S ●●●●		Amber
ESB8835S ●●●●		Sun Block Bronze
ESB8880S ●●●●		I/O Mirror

*Pyramex retail packaged product



Itek® ANSI CE CSA AS BALLISTIC


Soft integrated nosepiece

Soft co-injected rubber temple tips

Lens provides excellent side protection

Passes MIL-PRF 32432 High Velocity Impact Standards

Part No.	Lens and Temples
ES5810S ●●●●●	Clear
ES5810ST ●●●●●	AF Clear H2X
ES5820S ●●●●●	Grey
ES5820ST ●●●●●	AF Grey H2X
ES5830S ●●●●●	Amber
ES5860S ●●●●●	Infinity Blue
ES5870S ●●●●●	Silver Mirror
ES5875S ●●●●●	Blue Mirror
ES5880S ●●●●●	I/O Mirror
ES5880ST ●●●●●	AF I/O Mirror


Intruder® ANSI CE CSA AS

Integrated nosepiece

Lightweight, frameless protection

Part No.	Lens and Temples
ES4110S ●●●●●	Clear
ES4110ST ●●●●●	AF Clear
ES4120S ●●●●●	Grey
ES4120ST ●●●●●	AF Grey
ES4130S ●●●●●	Amber



ANSI Z87.1 CE EN166 CSA Z94.3 AS NSZ1337 BALLISTIC

All safety eyewear meets European [EN166] [●] and ANSI Z87.1+ [●] standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] [●], Australian [AS/NZS 1337] [●] or Ballistic [MIL-PRF-32432] [●] standards. For specific lens options visit our website or contact your sales representative.



Perform At Your Peak™ PYRAMEX

Ztek® ANSI CE CSA



RUBBER
TIPS

Integrated nosepiece

Soft, non-slip rubber temple tips provide non-binding fit

Part No.	Lens and Temples
ES2510S ●●●	Clear
ES2510ST ●●●	AF Clear H2X
ES2514S ●●●	1.4 IR Filter

ES2514S are designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

ES2515S ●●●	Coffee
ES2520S ●●●	Grey
ES2520ST ●●●	AF Grey H2X
ES2530S ●●●	Amber
ES2540S ●●●	Orange
ES2560S ●●●	Infinity Blue
ES2575S ●●●	Blue Mirror
ES2580S ●●●	I/O Mirror
ES2580ST ●	AF I/O Mirror



Mini Ztek ANSI CE CSA



RUBBER
TIPS

Mini Ztek has all the great features of Ztek in a design better suited for slimmer facial sizes

Part No.	Lens and Temples
ES2510SN ●●●	Clear
ES2515SN ●●●	Coffee
ES2520SN ●●●	Grey
ES2530SN ●●●	Amber
ES2575SN ●●●	Blue Mirror
ES2580SN ●●●	I/O Mirror



OTS® ANSI CE CSA AS

**RATCHETING
TEMPLES**

**ADJUSTABLE
TEMPLES**

Designed to better fit today's
prescription eyewear

Lightweight nylon temples adjust for
length and pitch

Part No.	Black Temples
ES3510SJ ●●●	Clear
ES3510STJ ●●●●	AF Clear H2X
ES3520SJ ●●●	Grey
ES3580SJ ●●●	I/O Mirror


OTS XL ANSI CE CSA

**RATCHETING
TEMPLES**

**ADJUSTABLE
TEMPLES**

OTS XL has all the great features of OTS in a
larger design

Part No.	Black Temples
ES7510SJ ●●●	Clear
ES7510STJ ●●●●	AF Clear H2X
ES7520SJ ●●●	Grey
ES7580SJ ●●●	I/O Mirror



OTS: Fits over frames up to:
5 3/8" W x 1 3/4" H | 137mm x 44mm



OTS XL: Fits over frames up to:
5 15/16" W x 1 15/16" H | 151mm x 49mm

ANSI Z87.1 **CE EN166** **CSA Z94.3** **AS NSZ1337** **BALLISTIC**

All safety eyewear meets European [EN166] (●) and ANSI Z87.1+ (●) standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] (●), Australian [AS/NZS 1337] (●) or Ballistic [MIL-PRF-32432] (●) standards. For specific lens options visit our website or contact your sales representative.



Perform At Your Peak™ PYRAMEX

Onix® ANSI CE AS BALLISTIC



CO-INJECTED
TEMPLES



ADJUSTABLE
NOSEPIECE



RATCHETING
TEMPLES

Co-injected temples

Adjustable nosepiece

Ratcheting temples

Passes MIL-PRF 32432 High Velocity
Impact Standards

Part No.	Black Frame
ESB4910S ●●●●	Clear
ESB4910ST ●●●●	AF Clear H2X
ESB4920S ●●●●	Grey
ESB4930S ●●●●	Amber
ESB4940S ●●●●	Orange
ESB4970S ●●●●	Silver Mirror
ESB4980S ●●●●	I/O Mirror



Onix Plus ANSI CE AS



CO-INJECTED
TEMPLES



ADJUSTABLE
NOSEPIECE



RATCHETING
TEMPLES

Adjustable nosepiece

Co-injected temples

Unique 3-angle adjustable flip lens

Flip the outer lens down for applications
where tinted or IR lenses are needed

Part No.	Black Frame
ESB4950STP ●●●●	Clear H2X with 5.0 IR
ESB4960STP ●●●●	Clear H2X with 3.0 IR





Furix® **ANSI** **CE**

Lightweight, contemporary frame

Straight back temples

Part No.	Black Frame	
ESB8510DT ●●	AF	Clear
ESB8515DT ●●	AF	Coffee
ESB8520DT ●●	AF	Grey
ESB8575DT ●●	AF	Blue Mirror



ANSI **Z87.1** **CE** **EN166** **CSA** **Z94.3** **AS** **NSZ1337** **BALLISTIC**

All safety eyewear meets European [EN166] [●] and ANSI Z87.1+ [●] standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] [●], Australian [AS/NZS 1337] [●] or Ballistic [MIL-PRF-32432] [●] standards. For specific lens options visit our website or contact your sales representative.



Perform At Your Peak™ PYRAMEX

Ionix® ANSI CE CSA AS BALLISTIC



Built-in rubber nosepiece

Ventilated, straight-back flexible temples

Passes MIL-PRF 32432 High Velocity Impact Standards

Part No.	Black Frame
ESB8110D ●●●●●	Clear
ESB8110DT ●●●●●	AF Clear
ESB8120D ●●●●●	Grey
ESB8120DT ●●●●●	AF Grey
ESB8170D ●●●●●	Silver Mirror



Cortez® ANSI CE



Durable co-injected temples

Ribbed cushioned nosepiece

Part No.	Black Temples
ESB3610S ●●	Clear
ESB3610ST ●●	AF Clear H2X
ESB3620S ●●	Grey
ESB3620ST ●●	AF Grey H2X



Integra® ANSI CE CSA AS

**ADJUSTABLE
TEMPLES**

Adjustable temples ensure reliable performance

Part No.	Black Frame
ESB410S ●●●●	Clear
ESB420S ●●●●	Grey
ESB430S ●●●●	Amber
ESB450SF ●●●●	5.0 IR Filter
ESB460SF ●●●●	3.0 IR Filter
Part No.	Blue Frame
ESN410S ●●●●	Clear
ESN420S ●●●●	Grey


PMXSLIM® ANSI CE AS

**ADJUSTABLE
NOSEPIECE**

**CO-INJECTED
TEMPLES**

Soft, adjustable nosepiece

Co-injected temple design includes soft rubber tips for a non-slip fit

Part No.	Black Temples
ESB7110S ●●●●	Clear
ESB7110ST ●●●●	AF Clear H2X
ESB7120S ●●●●	Grey
ESB7120ST ●●●●	AF Grey H2X
ESB7138S ●●●●	Sandstone Bronze
ESB7180S ●●●●	I/O Mirror


ANSI Z87.1 **CE EN166** **CSA Z94.3** **AS NSZ1337**

All safety eyewear meets European [EN166] (●) and ANSI Z87.1+ (●) standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] (●) or Australian [AS/NZS 1337] (●) standards. For specific lens options visit our website or contact your sales representative.



Perform At Your Peak™ PYRAMEX

Zone II® ANSI CE AS



Built-in nosepiece

Straight back, rubber coated temple tips

Part No.	Matte Black Frame
ESB3310E ●●	Clear
ESB3320E ●●●	Grey
ESB3345E ●●	Ice Orange Mirror
ESB3375E ●●	Blue Mirror



Part No.	Red Wood Frame
ESRW3320E ●●	Grey



Part No.	Silver Frame
ESS3320E ●●	Grey

V2-Metal® ANSI CE CSA



Spring loaded temples make this eyewear easy to position

Contemporary metal frame and temples fit all facial sizes

Part No.	Gun Metal Frame
ESGM1810S ●●●	Clear
ESGM1820S ●●●	Grey
ESGM1860S ●●●	Infinity Blue



Mayan® ANSI CE

RATCHETING
TEMPLER

Integrated nosepiece

Sleek in-line ratchet adjustable temples

Part No.	Black Frame
ESB2610D ●●	Clear
ESB2620D ●●	Grey
Part No.	Black Frame with Cord
ESB2610DP ●●	Clear



Montego® ANSI CE AS



DIELECTRIC

Form fitting brow guard

Fully dielectric with no metal parts

Frameless lightweight spectacle – 18 gm

Naturally curved, resilient flex-lite temples

Part No.	Black Temples
ESB5310ST ●●	AF Clear H2X
ESB5320S ●●●	Grey
ESB5370S ●●	Silver Mirror
ESB5380S ●●	I/O Mirror



ANSI Z87.1 CE EN166 AS NSZ1337

All safety eyewear meets European [EN166] (●) and ANSI Z87.1+ (●) standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Australian [AS/NZS 1337] (●) standards. For specific lens options visit our website or contact your sales representative.



Alair® ANSI CE

Straight temples

Integrated nosepiece

Part No.	Lens and Temples	
ES3210S ●●		Clear
ES3210ST ●●	AF	Clear H2X
ES3220S ●●		Grey
ES3230S ●●		Amber
ES3260S ●●		Infinity Blue



PMXCITE® ANSI CE AS



ADJUSTABLE
NOSEPIECE



CO-INJECTED
TEMPLES



VENTED
FRAME

Adjustable rubber nosepiece

Dual-injected rubber temple tips

Lightweight frame is vented at the top of the lens

Part No.	Black Frame	
ESB7710D ●●●		Clear
ESB7718D ●●●		Sandstone Bronze
ESB7720D ●●●		Grey
ESB7721D ●●		Grey Polarized



Solo® ANSI CE CSA

Uncoated lenses

Temples are vented to reduce fogging

Part No.	Lens and Temples
ES510S ● ● ●	Clear

**Defiant®** ANSI CERATCHETING
TEMPLESADJUSTABLE
TEMPLES

Jumbo size for use over prescription spectacles

Tilt type adjustment allows optimum visibility

Temples adjust to four settings

Part No.	Black Temples
ESB1010SJ ● ●	Clear



ANSI Z87.1 CE EN166 CSA Z94.3

All safety eyewear meets European [EN166] [●] and ANSI Z87.1+ [●] standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] [●] standards. For specific lens options visit our website or contact your sales representative.



Perform At Your Peak™ PYRAMEX

Emerge® ANSI CE CSA



Soft nosepiece provides comfort for extended use

Will accommodate an Rx lens to the maximum of +3 to -3 diopters

Available with a full reader +1.5 or +2.0 lens or as a prescription lens

Dual lens design with full eye protection

Plano lens, prescription lens, and full reader lens adaptable

Emerge frame must be presented to your optometrist in order to be fitted with prescription lenses

Part No.	Black Frame
ESB7910DRX ●●●	Clear
ESB7910D15 ●●●	Clear +1.5 Mag
ESB7910D20 ●●●	Clear +2.0 Mag
Part No.	Translucent Grey Frame
ESG7910DRX ●●●	Clear
ESG7910D15 ●●●	Clear +1.5 Mag
ESG7910D20 ●●●	Clear +2.0 Mag



Ztek® Readers ANSI CE CSA



SEE PAGE
23



Part No.	Black Temple Tips
ES2510R10 ●●●	Clear +1.0 Mag
ES2510R20 ●●●	Clear +2.0 Mag
ES2510R25 ●●●	Clear +2.5 Mag

Venture II® Readers ANSI CE CSA



SEE PAGE
18



Part No.	Black Frame
ESB1810R10 ●●●	Clear +1.0 Mag
ESB1810R15 ●●●	Clear +1.5 Mag
ESB1810R15T ●●●	AF Clear H2X +1.5 Mag
ESB1810R20 ●●●	Clear +2.0 Mag
ESB1810R20T ●●●	AF Clear H2X +2.0 Mag
ESB1810R25 ●●●	Clear +2.5 Mag
ESB1810R25T ●●●	AF Clear H2X +2.5 Mag
ESB1810R30 ●●●	Clear +3.0 Mag



V2G-Plus®

ANSI CE CSA AS BALLISTIC



DUAL PANE
LENS



INCLUDES
STRAP



Includes a wide adjustable elastic strap with quick release system for secure fit

TPU frame features excellent resistance to cold and heat

Dual pane lens provides excellent resistance to fogging caused by temperature difference between indoor and outdoor or between on-site and ambient environment

Special indirect ventilation system located at the top and bottom of frame allow air flow and heat release

Multi-functional goggle with 180° vision, protects against, sun glare, dust, flying particles and wind

Outer polycarbonate lens protects against the environment, while an inner lens prevents fogging

Inner lens is made from acetate, separated by a thin spacer of air, sealed together with foam

Passes MIL-PRF 32432 High Velocity Impact Standards

Part No.

Black Goggle with Strap

EGB6410SDT ●●●●●

AF Clear Dual Pane **H2X**

EGB6420SDT ●●●●●

AF Grey Dual Pane **H2X**

V2G-Plus Rx Insert

Specially designed for a variety of prescription lens options

Extremely lightweight for comfort

Includes micro-fiber storage case

Take insert to local optometrist for Rx lens installation

Part No.

RX6400



Rx lens insert easily snaps securely into place above nosepiece.



ANSI Z87.1

CE EN166

CSA Z94.3

AS NSZ1337

BALLISTIC

All safety eyewear meets European [EN166] (●) and ANSI Z87.1+ (●) standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] (●), Australian [AS/NZS 1337] (●) or Ballistic [MIL-PRF-32432] (●) standards. For specific lens options visit our website or contact your sales representative.



Perform At Your Peak™ PYRAMEX

Capstone® Shield ANSI CE CSA



INCLUDES
STRAP

Fully adjustable elastic band

Fits over prescription glasses

Lens is coated to prevent fogging

Soft vinyl goggle body conforms to facial contours

Only goggle passes EN168 3 & 4, liquid droplets and large dust

Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance

Goggle incorporated with removable shield provides full face protection

4 ventilation holes provide appropriate airflow

Ratchet shield allows user to open or close in 3 positions for adjustment

Polycarbonate shield conforms to the face offering increased impact and dust protection

Part No.	Lens and Shield	
EGG504TSHIELD ●●●	AF	Clear H2X
EGG504TSHIELDIR3 ●●●	AF	3.0 IR Filter H2X
EGG504TSHIELDIR5 ●●●	AF	5.0 IR Filter H2X

Only the goggles for EGG504TSHIELDIR3 and EGG504TSHIELDIR5 contains IR dye. Due to the nature of the vented holes, the shield is only green tinted and does not contain the IR resin.



Replacement shield for the Capstone Shield is available. See Capshield on page 36.

Disposable Capstone Shield Visors

Part No.

VPACK6

Pack of 6 clear disposable, tear-off visors, suitable for high dust or muddy working environments.



Capstone 500 Series **ANSI CE CSA BALLISTIC**

Fits over prescription glasses

Lens is coated to prevent fogging

Soft vinyl goggle body conforms to facial contours

Goggle provides protection against dust and chemical splash

Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance

Passes EN168 3 & 4, liquid droplets and large dust

Passes MIL-PRF 32432 High Velocity Impact Standards

Part No.	Grey Goggle with Quick Release Strap
EGG504T ●●●●	AF Clear H2X



Capstone Face Shield and Strap

Ratcheting shield includes strap and clips allowing the user to add to either the EGG504T or EG504DT

Sold as a replacement shield for EGG504TSHIELD

Part No.
ECAPSHIELD



ANSI Z87.1 CE EN166 CSA Z94.3 AS NSZ1337 BALLISTIC

All safety eyewear meets European [EN166] [●] and ANSI Z87.1+ [●] standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] [●], Australian [AS/NZS 1337] [●] or Ballistic [MIL-PRF-32432] [●] standards. For specific lens options visit our website or contact your sales representative.

Capstone® 600 Series **ANSI CE CSA AS BALLISTIC**



INCLUDES
STRAP

- Fits over prescription glasses
- Indirect ventilation system prevents fogging
- Includes interchangeable cloth and neoprene straps
- Co-material goggle provides superior protection against dust entry and chemical splash
- Thermoplastic (TPE) body with universal nose bridge is flexible and contours to the user's face
- Passes EN168 3 & 4, liquid droplets and large dust
- Passes MIL-PRF 32432 High Velocity Impact Standards

Part No.

Grey Goggle with Adjustable Strap

EG604T2 ●●●●●

AF Clear **H2X**



Capstone 600 Series Rx Insert

- Specially designed for a variety of prescription lens options
- Extremely lightweight for comfort
- Includes micro-fiber storage case
- Take insert to local optometrist for Rx lens installation

Part No.

RX600



Capstone Dual Lens **ANSI CE CSA AS BALLISTIC**



DUAL PANE
LENS

- Fully adjustable elastic strap
- Fits over prescription glasses
- Lens is coated to prevent fogging
- Dual pane lens consists of polycarbonate lens on the outer side with acetate anti-fog lens on inner side
- Soft vinyl goggle body conforms to facial contours
- Provides protection against dust and chemical splash
- Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance
- Passes EN168 3 & 4, liquid droplets and large dust
- Passes MIL-PRF 32432 High Velocity Impact Standards

Part No.

Grey Goggle with Quick Release Strap

EG504DT ●●●●●

AF Clear Dual Pane **H2X**





Capstone® RL **ANSI CE CSA**



MULTI
LENSES



INCLUDES
STRAP

Lens is interchangeable

Fits over prescription glasses

Indirect ventilation system
prevents fogging

Co-material goggle provides superior
protection against dust entry and
chemical splash

Thermoplastic (TPE) body with universal
nose bridge is flexible and contours to the
user's face

Passes EN168 3 & 4, liquid droplets and
large dust



Part No.

Grey Goggle with Neoprene Strap

Part No.

EG804TRL ●●●

AF Clear **H2X**

R8NEO

Replacement neoprene strap

ER804T ●●●

AF Replacement Clear **H2X**

R8CLO

Replacement cloth strap

ANSI Z87.1

CE EN166

CSA Z94.3

AS NSZ1337

BALLISTIC

All safety eyewear meets European [EN166] (●) and ANSI Z87.1+ (●) standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] (●), Australian [AS/NZS 1337] (●) or Ballistic [MIL-PRF-32432] (●) standards. For specific lens options visit our website or contact your sales representative.



Low Profile Goggle

ANSI CE CSA



Low profile, modern sport design with anti-glare frame

Direct ventilation prevents fogging

Adjustable elastic band and soft PVC frame

Part No.	Grey Goggle with Black Strap	
EG704T ●●●	AF	Clear

Top Shelf Chemical Splash Goggle

ANSI CE CSA



Special one-way vent allows air to enter while keeping liquids out

Top shelf chemical splash goggle features generously sized heavy duty body and lens

Passes EN168 3 & 4, liquid droplets and large dust

Part No.	Tinted Goggle with Black Strap	
EG304 ●●●		Clear
EG304T ●●●	AF	Clear H2X

Perforated Goggle

ANSI CE



Perforated, provides excellent ventilation

Part No.	Clear Goggle with Black Strap	
EG201 ●●		Clear
EG201T ●●	AF	Clear

Indirect Vent Goggle

ANSI CE AS



Goggle features vent caps to restrict influx of liquids

Part No.	Clear Goggle with Black Strap	
EG204 ●●		Clear
EG204T ●●●	AF	Clear



DUAL PANE LENS



Dual pane lens provides the ultimate anti-fog performance by isolating the temperature difference inside and outside of the eyewear

The outer polycarbonate lens protects against the environment and provides 99% protection against harmful UV rays, while the inner acetate lens is designed to prevent fogging

The thermal system provides anti-fog protection in the worst weather conditions or extreme-temperature working environments

The outside lens is coated with H2X™ Anti-fog Technology for even more resistance to fogging, due to extreme temperatures

ANSI Z87.1

CE EN166

CSA Z94.3

AS NSZ1337

BALLISTIC

All safety eyewear meets European [EN166] [●] and ANSI Z87.1+ [●] standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] [●], Australian [AS/NZS 1337] [●] or Ballistic [MIL-PRF-32432] [●] standards. For specific lens options visit our website or contact your sales representative.



I-Force®

ANSI CE CSA AS BALLISTIC

Part No.	Black Frame
ESB7010SDT ●●●●●	AF Clear Dual Pane H2X
ESB7020SDT ●●●●●	AF Grey Dual Pane H2X
ESB7030SDT ●●●●●	AF Amber Dual Pane H2X
ESB7080SDT ●●●●●	AF I/O Mirror Dual Pane

SEE PAGE
10



I-Force Slim

ANSI CE CSA AS BALLISTIC

Part No.	Black Frame
ESB7010SDNT ●●●●●	AF Clear Dual Pane H2X
ESB7020SDNT ●●●●●	AF Grey Dual Pane H2X
ESB7030SDNT ●●●●●	AF Amber Dual Pane H2X

SEE PAGE
10



V2G-Plus®

ANSI CE CSA AS BALLISTIC

Part No.	Black Goggle with Strap
EGB6410SDT ●●●●●	AF Clear Dual Pane H2X
EGB6420SDT ●●●●●	AF Grey Dual Pane H2X

SEE PAGE
34



Capstone® Dual Lens

ANSI CE CSA AS BALLISTIC

Part No.	Grey Goggle with Quick Release Strap
EG504DT ●●●●●	AF Clear Dual Pane H2X

SEE PAGE
37





Venture II®

ANSI CE BALLISTIC

Part No.

Black Frame

ESB1850SF ●●●

5.0 IR Filter

ESB1860SF ●●●

3.0 IR Filter

SEE PAGE
18

Integra®

ANSI CE

Part No.

Black Frame

ESB450SF ●●

5.0 IR Filter

ESB460SF ●●

3.0 IR Filter

SEE PAGE
28

ANSI Z87.1

CE EN166

CSA Z94.3

AS NSZ1337

BALLISTIC

All safety eyewear meets European [EN166] (●) and ANSI Z87.1+ (●) standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] (●), Australian [AS/NZS 1337] (●) or Ballistic [MIL-PRF-32432] (●) standards. For specific lens options visit our website or contact your sales representative.



Perform At Your Peak™ PYRAMEX



Onix® Plus ANSI CE AUS

Part No.	Black Frame
ESB4950STP • • •	Clear H2X with 5.0 IR
ESB4960STP • • •	Clear H2X with 3.0 IR

SEE PAGE
25



Capstone® Shield ANSI CE

Part No.	Lens and Shield
EGG504TSHIELDIR3 • •	AF 3.0 IR Filter H2X
EGG504TSHIELDIR5 • •	AF 5.0 IR Filter H2X

SEE PAGE
35

Only the goggles for GG504TSHIELDIR3 and GG504TSHIELDIR5 contains IR dye. Due to the nature of the vented holes, the shield is only green tinted and does not contain the IR resin.

Ztek® ANSI CE CSA

Part No.	Lens and Temples
ES2514S • • •	1.4 IR Filter

SEE PAGE
23

Designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.



Drop Zone® ANSI CE CSA BALLISTIC



Stylish contoured temples

Extremely lightweight

Rubber nosepiece

Easy to change replacement lenses

Passes MIL-PRF 32432 High Velocity Impact Standards

Drop Zone includes: removable temples, crush-resistant neoprene storage case, microfiber cleaning cloth, and four interchangeable lenses

Part No.	Black Temples
EVGSB88KIT ●●●●	AF Clear H2X
	AF Forest Grey H2X
	AF Orange H2X
	AF Smoke Vermilion H2X



VENTUREGEAR

ANSI Z87.1 CE EN166 CSA Z94.3 BALLISTIC

All safety eyewear meets European [EN166] [●] and ANSI Z87.1+ [●] standards. All lenses are hard coated polycarbonate scratch-resistant unless otherwise noted and provide 99.9% protection from harmful UV rays. Some options meet Canadian [CSA Z94.3] [●] or Ballistic [MIL-PRF-32432] [●] standards. For specific lens options visit our website or contact your sales representative.





Part No.

GALSOL

Gallon of Lens Cleaning Solution



Part No.

LCT100

100 Individually Packaged 5x8 Cleaning Towelettes



Part No.

LCS10

8 oz. Lens Cleaning Station with 600 Tissues



Part No.

LCS20

16 oz. Lens Cleaning Station with 1,200 Tissues



Perform At Your Peak™ PYRAMEX



Part No.

CLEANCLOTH 7" x 6" Black Nylon Microfiber Spectacle Cleaning Cloth



Part No.

PYRBAGS 7.5" x 4" Black Cloth Drawstring Spectacle Bag



Part No.

CA200B Zippered Spectacle Case




Part No.

CA500B Hard Spectacle Case



Part No.

NEOCASE Zippered Neoprene Case



Part No.
CORDS Black
 Lanyard Loop



Part No.
CLIPCORDS Black
 Clip-On Cord



Part No.
CORDS1A Black
 Cotton Cord



Part No.
CORDS7A Black
 Cord with
 Rubber Tips



Part No.
CORDS8A Black
 Breakaway
 Cord



Part No.
CORDS9A Black
 Bungee Cord



Part No.
NEOCORD Black Neoprene
 Breakaway Cord



Part No.
NE01 Black
 Neoprene Cord



Perform At Your Peak™ PYRAMEX



Part No.

DIS5BL Blue Stationary Display - holds up to 5 units (product sold separately)



Part No.

DIS5CF Stationary Display - holds up to 5 units (product sold separately)



Part No.

DIS5 Silver Corrugated Stationary Display - holds up to 5 units (product sold separately)



Part No.

DIS9 Silver Corrugated Stationary Display - holds up to 9 units (product sold separately)



Part No.


DIS9TR Stationary Display - holds up to 9 units (product sold separately)



Part No.

DISPLAY Rotating Display - holds up to 36 units (product sold separately)






Hearing certifications

Pyramex hearing products have been independently tested for various standards and certifications.

Use the quick key (**ANSI** **CE**) on the following pages to reference product models that meet these standards and certifications.

Use the dots (**••**) next to each part number to reference which options meet the standards and certifications.

ANSI	•	ANSI S.319
CE	•	CE EN - 352:2002



PM80 Series **ANSI CE**

NRR 26dB / SNR 30dB

Low profile design

Soft foam ear cups

Fold-away, padded headband

Part No.	Colour
EPM8010 ● ●	Grey
EPM8031 ● ●	Hi-Vis Lime
EPM8041 ● ●	Hi-Vis Orange



PM3010 Series **ANSI CE**

NRR 26dB / SNR 28dB

Adjustable to fit all sizes

Soft foam ear cups

Fold-away, padded headband

Part No.

EPM3010 ● ●



RP2001 Series **ANSI CE**

Reusable Corded Earplugs

NRR 27dB / SNR 26dB

Earplugs are constructed around a pocket of air for lightweight comfort

Three rubber flanges form a cozy seal for all size ear canals

Part No.

ERP2001 ● ●



DP1001 Series **ANSI CE**

Disposable Corded Earplugs

NRR 32dB / SNR 36dB

Soft foam earplugs gently expand and self adjust to all size ear canals

Part No.

DP1001 ● ●

ANSI S3.19

CE EN352:02

All hearing protection meets European [CE EN-352:2002] (●) and ANSI S3.19 (●) standards. For more information visit our website or contact your sales representative.



DP1000 Series **ANSI CE**

Disposable Uncorded Earplugs

NRR 32dB / SNR 36dB

Soft foam earplugs gently expand and self adjust to all size ear canals

Part No.

DP1000 •●



EPYS25 Kit **ANSI CE CSA**

Eye protection meets ANSI Z87.1+, European (EN166), and Canadian (CSA Z94.3) standards. All lenses are hard coated polycarbonate scratch-resistant and provide 99% protection from harmful UV rays. Hearing protection meets ANSI S3.19 and CE EN-352:2002 standards. For more information visit our website or contact your sales representative.

Ztek® – Eye Protection:

Integrated nosepiece

Soft, non-slip rubber temple tips provide non-binding fit

DP1000 – Hearing Protection:

Disposable uncorded earplugs

NRR 32dB / SNR 36dB

Soft foam earplugs gently expand and self adjust to all size ear canals

Ztek Part No.	Lens Colour
EPYS2510SDP	Clear
EPYS2530SDP	Amber

Mini Ztek Part No.	Lens Colour
EPYS2510SNDP	Clear
EPYS2517SNDP	Pink
EPYS2530SNDP	Amber



PD500 Series

Earplug Dispenser

Convenient dispenser holds 500 pair of disposable earplugs

Quick and easy use for workers

Durable plastic design has easy twist knob and catch basin to prevent plugs from falling to the ground

Can be wall mounted or use a freestanding display

ANSI CE

Disposable Uncorded Earplugs

NRR 32dB / SNR 36dB

Soft foam earplugs gently expand and self adjust to all size ear canals

500 pair of disposable earplugs are included with earplug dispenser

Part No.

PD500 Earplug Dispenser
PD500R •● 500 Pair of Replacement Plugs



Earplug Clip

Black plastic clips secure corded earplugs to spectacle and also act as a lanyard

Part No.

EPC12

Heat exhaustion is a serious concern for the tireless worker.

No matter how hot it gets, you can keep working and stay sharp with Pyramex high performance cooling products.

Relative Humidity (%)	Temperature (°F)															
	80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110
40	80	81	83	85	88	91	94	97	101	105	109	114	119	124	130	136
45	80	82	84	87	89	93	96	100	104	109	114	119	124	130	137	
50	81	83	85	88	91	95	99	103	108	113	118	124	131	137		
55	81	84	86	89	93	97	101	106	112	117	124	130	137			
60	82	84	88	91	95	100	105	110	116	123	129	137				
65	82	85	89	93	98	103	108	114	121	128	136					
70	83	86	90	95	100	105	112	119	126	134						
75	84	88	92	97	103	109	116	124	132							
80	84	89	94	100	106	113	121	129								
85	85	90	96	102	110	117	126	135								
90	86	91	98	105	113	122	131									
95	86	93	100	108	117	127										
100	87	95	103	112	121	132										

HEAT INDEX RISK

CAUTION
MODERATE
HIGH
EXTREME

Source: OSHA Occupational Heat Exposure

The heat index, which takes both temperature and humidity into account, is a useful tool to determine when it is too hot for workers. In 2014, 2,630 workers suffered from heat illness and 18 died from heat stroke/related causes on the job. Know the signs of heat exhaustion and heat stroke before they strike.

If workers are given the proper PPE, heat illnesses & deaths are preventable.



C160 Series

Cooling Towel

Evaporative advanced PVA material holds water without feeling heavy

Anti-microbial treated to help prevent mold build-up and unwanted odors

To activate, simply soak in cool water

Reusable – just reactivate

Machine washable

Dimensions: 26 x 17 inches

Part No.

C160



C260 Series

Cooling Towel Wrap

Evaporative advanced PVA material holds water without feeling heavy

Anti-microbial treated to help prevent mold build-up and unwanted odors

Use as a neck wrap by pulling end of wrap through slit

To activate, simply soak in cool water

Reusable – just reactivate

Machine washable

Dimensions: 26 x 8.5 inches

Part No.

C260



CNS1 Series

Cooling Hard Hat Pad and Neck Shade

- Evaporative cooling material keeps you cool for hours
- Keeps your head cool and blocks sun from your neck
- Made from soft quilted hi-vis material for greater visibility
- Fits on the suspension of a hard hat with hook and loop closures
- To activate, soak in cool water
- Reusable – just reactivate
- One size fits all

Part No.	Color
CNS130	Hi-Vis Lime
CNS140	Hi-Vis Orange



CBD12PK Series

Cooling Bandanas

- Sold in dozen quantity only
- Each bandana is packaged with a Pyramex hangtag
- PVA material provides hours of heat stress relief
- Conveniently ties around neck or head
- To activate, simply soak in cool water
- Reusable – just reactivate
- Machine washable
- One size fits all

Part No.	Color
CBD12PKBLU	Blue
CBD12PKLIME	Hi-Vis Lime

CPH160 Series

Cooling Hard Hat Pad

- Evaporative cooling material provides hours of heat stress relief
- Fits on the suspension of a hard hat with hook and loop closures
- To activate, soak in cool water
- Reusable – just reactivate
- One size fits all

Part No.
CPH160



PYRAMEX

Perform At Your Peak™

There's more to see at
PyramexSafety.com

PHONE +44 (0) 1635 254220 | EMAIL info@pyramexeurope.com

Catalogue Part #ECATALOG

